




55W
11
W/m
LED
4x10mm
50mm
IP67



Flexible LED neon 24V DC - 4x10mm - 5 meters - Complete kit - IP67 - 11W/m - Lateral curvature


Ref. N410-5M

Flexible LED neon for decorative lighting of great visual impact. It adapts to various surfaces, offering enormous versatility to make any design a reality. Thanks to its high density of LED chips (120 chips/m), it ensures a stable and homogeneous illumination, with a power of 11W/m. Due to its high degree of protection, IP67, this product is suitable for outdoor use. It emits light from one of its lateral faces, allowing lateral curvature. **The complete kit includes 20 staples + 4 plugs (2 initial and 2 final) **.











Product data

Hue	Cool white, Neutral white, Warm white, Blue, Red, Green, Extra warm white
Kelvin (K)	3000, 6000, 4000, 2700, 1800
LED Type	SMD 2835
Nominal Voltage (V)	24V-DC
Dimensions (mm) LxLxh	4x10x5000
Material	Silicone
Use Outdoor	Yes
IP	IP67
Certificates	CE, ROHS
Warranty	According to legal guarantee: 2 years
Power/m (W/m)	11
No. of chips/metre	120
Cutting distance (mm)	50



Product variants

Reference	Attributes	
N410-5M-180	Colour temperature - Warm white 1800K	 <div><div>SSW</div><div>5M</div><div>1800K</div><div>4410lm</div><div>5000mm</div><div>IP67</div></div>
N410-5M-270	Colour temperature - Warm white 2700K	 <div><div>SSW</div><div>5M</div><div>2700K</div><div>4410lm</div><div>5000mm</div><div>IP67</div></div>
N410-5M-AZ	Colour temperature - Blue	 <div><div>SSW</div><div>5M</div><div>Blue</div><div>4410lm</div><div>5000mm</div><div>IP67</div></div>
N410-5M-BC	Colour temperature - Warm White	 <div><div>SSW</div><div>5M</div><div>Warm White</div><div>4410lm</div><div>5000mm</div><div>IP67</div></div>
N410-5M-BN	Colour temperature - Neutral White	 <div><div>SSW</div><div>5M</div><div>Neutral White</div><div>4410lm</div><div>5000mm</div><div>IP67</div></div>
N410-5M-BF	Colour temperature - Cool White	 <div><div>SSW</div><div>5M</div><div>Cool White</div><div>4410lm</div><div>5000mm</div><div>IP67</div></div>
N410-5M-VE	Colour temperature - Green	 <div><div>SSW</div><div>5M</div><div>Green</div><div>4410lm</div><div>5000mm</div><div>IP67</div></div>
N410-5M-RO	Colour temperature - Red	 <div><div>SSW</div><div>5M</div><div>Red</div><div>4410lm</div><div>5000mm</div><div>IP67</div></div>

